

MAXIMUM COVERAGE ULTIMATE DURABILITY







MODEL: JRT300-RDHV-K

- 4000' range provides maximum jobsite coverage
- IP67 rated to protect against the harshest jobsite environments
- Impact Resistant to 6' (2m) protecting against tips and drops
- Five rotational speeds: 0, 100, 300, 600 & 1200 RPM



KIT INCLUDES > Laser, 2 Li-ion rechargeable battery packs, battery charger, remote control with 2-AAA batteries, detector with 2-AAA batteries and clamp, magnetic target and hard-shell carrying case

TECHNICAL SPECS	
Accuracy	±1/16"/100' horizontal, ±1/8"/100' vertical
Interior Range	Up to 200'
Exterior Range	Up to 4,000' diameter with detector
Self-Leveling Range	±5°
Power Supply	Li-ion or 6 AA Alkaline (not included)
Battery Life	21 hours Li-ion
IP Protection	IP67
Warranty	5 Year Warranty



MODEL: JRT300-RDHV-S

- 4000' range provides maximum jobsite coverage
- IP67 rated to protect against the harshest jobsite environments
- Impact Resistant to 6' (2m) protecting against tips and drops
- Five rotational speeds: 0, 100, 300, 600 & 1200 RPM



KIT INCLUDES > Laser, 2 Li-ion rechargeable battery packs, battery charger, remote control with 2-AAA batteries, detector with 2-AAA batteries and clamp, magnetic target, tripod, 13' grade rod, and hard-shell carrying case




MODEL: JRT300-GNHV-K

- Green beam is 400% more visible than red beam, perfect for interior applications
- 4000' range provides maximum jobsite coverage
- IP67 rated to protect against the harshest jobsite environments
- Impact Resistant to 6' (2m) protecting against tips and drops



KIT INCLUDES > Laser, 2 Li-ion rechargeable battery packs, battery charger, 2 alkaline battery compartments, magnetic target, detector with 2-AAA alkaline batteries, remote control with 2-AAA alkaline batteries, track mount, and hard-shell carrying case

TECHNICAL SPECS		TECHNICAL SPECS	
Accuracy	±1/16"/100' horizontal, ±1/8"/100' vertical	Accuracy	±1/16"/100' horizontal, ±1/8"/100' vertical
Interior Range	Up to 200'	Interior Range	Up to 200'
Exterior Range	Up to 4,000' diameter with detector	Exterior Range	Up to 4,000' diameter with detector
Self-Leveling Range	±5°	Self-Leveling Range	±5°
Power Supply	Li-ion or 6 AA Alkaline (not included)	Power Supply	Li-ion or 6 AA Alkaline (not included)
Battery Life	21 hours Li-ion	Battery Life	21 hours Li-ion
IP Protection	IP67	IP Protection	IP67
Warranty	5 Year Warranty	Warranty	5 Year Warranty





GREENBRITE® CROSS-LINE LASER

MODEL: JLN300-GNCL

- Magnetic Integrated bracket with micro-adjust for fast, easy positioning
- Green beam is 400% more visible than red beam
- IP64 dust and water resistant construction to handle jobsite environments
- Lithium-ion rechargeable batteries last up to 30+ hours for all day runtime



KIT INCLUDES > Green laser, integrated magnetic base, magnetic target, Li-on battery & charger, hard-shell carrying case

TECHNICAL SPECS	
Accuracy	±1/8"/35'
Interior Range	Up to 125'
Exterior Range	Up to 165' with detector (not included)
Self-Leveling Range	+4°
Power Supply	Li-ion or 3 AA Alkaline (not included)
Battery Life	30 hours Li-ion
IP Protection	IP64
Warranty	5 Year Warranty



GREENBRITE® CROSS-LINE & 2 DOT LASER

MODEL: JLD300-GN2D

- Magnetic Integrated bracket with micro-adjust for fast, easy positioning
- Green beam is 400% more visible than red beam
- IP64 dust and water resistant construction to handle jobsite environments
- Lithium-ion rechargeable batteries last up to 30+ hours for all day runtime



KIT INCLUDES > Green laser, integrated magnetic base, magnetic target, Li-on battery & charger, hard-shell carrying case



GREENBRITE® 3X360° PLANE LASER

MODEL: JLN300-GN3360

- Magnetic Integrated bracket that pivots on center for fast, easy positioning
- Green beam is 400% more visible than red beam
- IP64 dust and water resistant construction to handle jobsite environments
- Lithium-ion rechargeable batteries last up to 25+ hours for all day runtime



KIT INCLUDES > Green laser, integrated magnetic base, magnetic target, track mount, Li-on battery & charger, hard-shell carrying case

TECHNICAL SPECS		TECHNICAL SPECS	
Accuracy	±1/8"/35'	Accuracy	±1/8"/35'
Interior Range	Up to 125'	Interior Range	Up to 250'
Exterior Range	Up to 165' with detector (not included)	Exterior Range	Up to 330' with detector (not included)
Self-Leveling Range	+4°	Self-Leveling Range	+4°
Power Supply	Li-ion or 3 AA Alkaline (not included)	Power Supply	Li-ion or 3 AA Alkaline (not included)
Battery Life	30 hours Li-ion	Battery Life	25 hours Li-ion
IP Protection	IP64	IP Protection	IP64
Warranty	5 Year Warranty	Warranty	5 Year Warranty





GREENBRITE® 3 DOT LASER

MODEL: JDT300-GN3D

- Up to 150' Interior Range
- IP64 dust and water resistant construction to handle jobsite environments
- Alkaline batteries last up to 20+ hours for all day runtime
- Green dot is 400% more visible than red



KIT INCLUDES > Laser, integrated magnetic base, floor mount, 3 "AA" alkaline batteries, alkaline battery compartment, hard-shell carrying case

TECHNICAL SPECS			

Accuracy	±1/8"/35'
Interior Range	Up to 150'
Exterior Range	Not Applicable
Self-Leveling Range	+4°
Power Supply	3 AA Alkaline or Li-ion (not included)
Battery Life	20 hours Alkaline
IP Protection	IP64
Warranty	5 Year Warranty



GREENBRITE® 5 DOT LASER

MODEL: JDT300-GN5D

- Up to 150' Interior Range
- IP64 dust and water resistant construction to handle jobsite environments
- Alkaline batteries last up to 12+ hours for all day runtime
- Green dot is 400% more visible than red



KIT INCLUDES > Laser, integrated magnetic base, floor mount, 3 "AA" alkaline batteries, alkaline battery compartment, hard-shell carrying case

TECHNICAL SPECS	
Accuracy	±1/8"/35'
Interior Range	Up to 150'
Exterior Range	Not Applicable
Self-Leveling Range	+4°
Power Supply	3 AA Alkaline or Li-ion (not included)
Battery Life	12 hours Alkaline
IP Protection	IP64
Warranty	5 Year Warranty

MAGNETIC 360° LASER MOUNTING BRACKET

MODEL: 40-6422

- The 360° bracket allows for mounting and positioning on the floor, ceiling or left or right sides
- 6 rare-earth magnets provide the strongest hold to magnetic surfaces
- For use with JLN cross-line, JDT dot, and JLD combination lasers



INCLUDES > Multi-function mount, two velcro straps

MAGNETIC LASER TARGETS



MODEL: 40-6768 • 40-6765

- High-contrast X design allows for fast, efficient positioning
- Dual-position rare-earth magnets
- Dual inch & centimeter measuring scales



40-6768 INCLUDES > Red laser target **40-6765 INCLUDES >** Green laser target

MAGNETIC UNIVERSAL GREEN & RED ROTARY LASER DETECTOR

MODEL: JLR300-UNV-RG



- Quickly and accurately locates most green and red rotary lasers
- IP54 rated to protect from Dust and Water ingress
- Dual-sided detection and LED backlit display for easy reading


INCLUDES > Detector, 2 AAA alkaline, and clamp

TECHNICAL SPECS	
Accuracy	Fine 1/16", Coarse 1/4"
Exterior Range	Up to 2600' diameter
Power Supply	2 AAA Alkaline
Battery Life	45 hours Alkaline
Warranty	3 Year Warranty

INDOOR APPLICATIONS



OUTDOOR APPLICATIONS





6333 W. Donges Bay Road • Mequon, Wisconsin 53092 262.242.1161 • 888-953-8357 • Fax: 262.242.0189