



MADE IN THE USA

Over 90% of Johnson Level & Tool's product lines are proudly manufactured in the USA. And the majority are hand-crafted in our Mequon and Tomahawk, Wisconsin, facilities. From individual components to quality testing, we shepherd each hand tool through time-proven processes—resulting in products of superior quality and unique value. We also produce our own acrylic spirit vials to very exact standards, for these are the cornerstone of our main product line. Total control of the entire manufacturing process allows us to produce high quality, highly accurate and innovative products.

CONTENTS

LEVELS

LEVELS
WOOD LEVELS
SQUARES
CARPENTER & RAFTER SQUARES
MEASURING TOOLS
RULES
MARKING PRODUCTS
LINE REELS AND REPLACEMENT STRING
SPECIALTY TOOLS
BUTT MARKERS

PLUMB BOBS......28 SAWS......28





HEAVY DUTY

HARDWOOD I-BEAM LEVELS

- Solid aluminum I-beam veneered with No.1 select birch
- Two individually-calibrated, yellow curved vials per sight are insert molded* and protected with a glass lens
- · Shock-protecting end caps
- Frame dimensions: 1-1/8" x 2-3/8"

Model #	Length	Total Vial Count	Level Vial Count	Plumb Vial Count
IB24	24"	6	2	4
IB48	48"	6	2	4
IB72	72"	6	2	4

^{*}U.S. Patent No. 6,243,957; Australian Patent No. 743674; Foreign Patents Pending



600 SERIES

HEAVY DUTY

FLAT Brass Mahogany/Maple Levels

- No.1 select mahogany/maple with flat brass edges that are both epoxy-bound and screwed into the frame
- Two individually-calibrated, yellow curved vials per sight are insert molded* and protected with a glass lens
- · Shock-protecting end caps
- Frame dimensions: 1-3/16" x 2-7/16"

Model #	Length	Total Vial Count	Level Vial Count	Plumb Vial Count
624	24"	6	2	4
636	36"	6	2	4
642	42"	6	2	4
648	48"	6	2	4

^{*}U.S. Patent No. 6,243,957; Australian Patent No. 743674; Foreign Patents Pending



700 SERIES

HEAVY DUTY

ECOTECH. LAMINATED HARDWOOD BRASS BOUND LEVELS

- Laminated American hardwood plies no old-growth or rain forest lumber!
- Two individually-calibrated, yellow curved vials per sight are insert molded* and protected with a glass lens
- Angled brass bound edges
- · Shock-protecting end caps
- Frame dimensions: 1-3/16" x 2-7/16"

Model #	Length	Total Vial Count	Level Vial Count	Plumb Vial Count
724	24"	6	2	4
748	48"	6	2	4

^{*}U.S. Patent No. 6,243,957; Australian Patent No. 743674; Foreign Patents Pending



500 SERIES

HEAVY DUTY

BRASS BOUND MAHOGANY LEVELS

- · Mahogany with angled brass bound edges
- Two individually-calibrated, yellow curved vials per sight are insert molded* and protected with a glass lens
- · Shock-protecting end caps
- Frame dimensions: 1-3/16" x 2-7/16"

Length	Total Vial Count	Level Vial Count	Plumb Vial Count
24"	6	2	4
36"	6	2	4 4
48"	6	2	4
	24" 36"	Length Vial Count 24" 6 36" 6	Length Vial Count Vial Count 24" 6 2 36" 6 2

^{*}U.S. Patent No. 6,243,957; Australian Patent No. 743674; Foreign Patents Pending



ALUMINUM BOX BEAM LEVELS

- HEAVY DUTY
- · Extruded aluminum box beam profile with yellow powder coat finish
- · Ergo-shaped, soft cushioned hand holes
- · Precision machined leveling edges

 Solid 	, machined	acrylic yello	w vials
with	permanent	interior vial	markings

- · Rubberized, shock-protecting end caps
- Frame dimensions: 1" x 2-5/16"

Model #	Length	Total Vial Count	Level Vial Count	Plumb Vial Count
9824-HH	24"	3	1	2
9832-HH	32"	3	1	2
9836-HH	36"	3	1	2
9848-HH	48"	3	1	2
9872-HH	72"	3	1	2
9878-HH	78"	3	1	2
9896-HH	96"	3	1	2

9500 SERIES



MAGNETIC > ALUMINUM BOX BEAM LEVELS

- · Extruded aluminum box beam profile with yellow powder coat finish
- · Ergo-shaped, soft cushioned hand holes*
- · Precision machined leveling edges with strong, magnetic bottom edge
- · Solid, machined acrylic yellow vials with permanent interior vial markings
- · Rubberized, shock-protecting end caps
- Frame dimensions: 1" x 2-5/16"

Model #	Length	Total Vial Count	Level Vial Count	Plumb Vial Count
9524*	24"	3	1	2
9548-HH	48"	3	1	2
9572-HH	72"	3	1	2
9578-HH	78"	3	1	2

*9524 does not have hand holes







HEAVY

HEAVY

DUTY

DUTY

HEAVY DUTY

ALUMINUM BOX BEAM LEVELS

- · Heavy-duty "X" profile with yellow powder coat finish
- · One horizontal and two plumb solid, block vials that are UV resistant and anti-static
- · Horizontal vial has fluorescent backing plate and 30% magnification lens
- · Shock-protecting rubberized end caps
- Frame dimensions: 1" x 2"

Model #	Length	Total Vial Count	Level Vial Count	Plumb Vial Count
8624	24"	3	1	2
8632	32"	3	1	2
8648	48"	3	1	2
8672	72"	3	1	2

4600 SERIES



WIDE FRAMED DUAL-VIAL ALUMINUM LEVELS

- · Large, extra-sturdy extruded aluminum I-beam frame
- Two independently-calibrated, yellow curved vials under a protective Lexan* lens in each sight
- · High-visibility, bright red anodized finish
- · Shock-protecting end caps
- Frame dimensions: 1-1/16" x 2-1/2"

		Total	Level	Plumb
Model #	Length	Vial Count	Vial Count	Vial Count
4624	24"	6	2	4
4648	48"	6	2	4
4672	72"	10	4	6
4696	96"	10	4	6

*Lexan is a registered trademark of General Electric.



3600 SERIES

HEAVY DUTY

PLUMBSCOPE® TOP-READ PLUMB VIAL LEVELS

- Extruded aluminum l-beam frame with hi-visibility red anodized finish
- Precision machined leveling edges
- Top-read level window and PlumbScope® top-read plumb vial window
- 360°-reading acrylic yellow barrel vials
- Screw-on, high-impact resistant plastic covers with protective lenses
- Shock-protecting end caps
- Frame dimensions: 1" x 2-1/4"

Model #	Length	Total Vial Count	Level Vial Count	Plumb Vial Count
3624	24"	3	1	2
3648	48"	3	1	2



3900 SERIES

HEAVY DUTY

MAGNETIC > PLUMBSCOPE® TOP-READ PLUMB VIAL LEVELS

- Extruded aluminum I-beam frame with hi-visibility gold anodized finish
- Precision machined leveling edges and strong, full-length magnetic strip
- Top-read level window and PlumbScope® top-read plumb vial window
- 360°-reading acrylic yellow barrel vials
- Screw-on, high-impact resistant plastic covers with protective lenses
- · Shock-protecting end caps
- Frame dimensions: 1" x 2-1/4"

	Model #	Length	Total Vial Count	Level Vial Count	Plumb Vial Count
C	3924	24"	3	1	2
C	3948	48"	3	1	2



3700 SERIES

HEAVY DUTY

MACHINED TOP-READ ALUMINUM LEVELS

- Extruded aluminum l-beam with black anodized finish
- Precision machined leveling edges
- · Large, magnified* top-read window
- · 360°-reading acrylic yellow barrel vials
- Screw-on, high-impact resistant plastic covers with protective lenses
- Shock-protecting end caps
- Frame dimensions: 1" x 2-1/4"

Model #	Length	Total Vial Count	Vial Count	Plumb Vial Count
3718	18"	3	1	2
3724	24"	3	1	2
3736	36"	3	1	2
3748	48"	3	1	2
3772	72"	5	2	3
3778	78"	5	2	3
3796	96"	5	2	3

*U.S. Patent No. 5,105,549



3800 SERIES

HEAVY DUTY

MAGNETIC MACHINED TOP-READ ALUMINUM LEVELS

- Extruded aluminum l-beam with black anodized finish
- Precision machined leveling edges and strong, full-length magnetic strip
- · Large, magnified * top-read window
- 360°-reading acrylic yellow barrel vials
- Screw-on, high-impact resistant plastic covers with protective lenses
- · Shock-protecting end caps
- Frame dimensions: 1" x 2-1/4"

Mode	el#	Length	Total Vial Count	Vial Count	Plumb Vial Count
3818		18"	3	1	2
3824		24"	3	, 1	2
3836		36"	3	1	2
3848		48"	3	1	2
3872		72"	5	2	3
3878		78"	5	2	3
3896		96"	5	2	3

*U.S. Patent No. 5,105,549

1200 & 1300 SERIES



MEDIUM

MEDIUM

DUTY

DUTY

MEDIUM

DUTY

DUTY

Top-Read Aluminum Levels with Rule

- · Mid-size extruded aluminum frame with clear (silver) anodized finish and top-reading level vial window
- Ruled edge in 1/8 ths, 1/16 ths and cm
- 360°-reading acrylic yellow barrel vials with Quik-Change® 1-piece replaceable, high-impact plastic covers and lenses*
- · Shock-protecting end caps
- Frame dimensions: 1" x 2-1/8"

Model #	Length	Total Vial Count	Level Vial Count	Plumb Vial Count
1218 (no top-read)	18"	2	1	1
1318	18"	3	1	2
1224 (no top-read)	24"	2	1	1
1324	24"	3	1	2
1336	36"	3	1	2
1348	48"	3	1	2
1472 (no rule)	72"	4	2	2

^{*}U.S. Patent No. 4,996,777; Canadian Patent No. 2,022,528





MAGNETIC > Top-Read Aluminum Levels

- · Mid-size extruded aluminum frame with clear (silver) anodized finish and top-reading level vial window
- · Strong, full-length magnetic strip
- · 360°-reading acrylic yellow barrel vials with Quik-Change® 1-piece replaceable, high-impact plastic covers and lenses*
- · Shock-protecting end caps
- Frame dimensions: 1" x 2-1/4"

Model #	Length	Total Vial Count	Level Vial Count	Plumb Vial Count
1724	24"	3	1	2
1748	48"	3	1	2
1772	72"	4	2	2
	1724 1748	1724 24" 1748 48"	Model # Length Vial Count 1724 24" 3 1748 48" 3	Model # Length Vial Count Vial Count 1724 24" 3 1 1748 48" 3 1

*ILS Patent No. 4 996 777: Canadian Patent No. 2 022 528

2500 SERIES



· Triangular-shaped aluminum frame

- with clear (silver) anodized finish
- Screen-printed ruled edge in 1/8 ths
- 360°-reading acrylic yellow barrel vials
- · Quik-Change® 1-piece replaceable, high-impact plastic covers*
- No lenses
- Frame dimensions: 1" x 2-13/16"

		Total	Level	Plumb
Model #	Length	Vial Count	Vial Count	Vial Count
2524	24"	3	1	2
2536	36"	3	1	2
2548	48"	3	1	2

^{*}U.S. Patent No. 4,996,777; Canadian Patent No. 2,022,528

2600 SERIES

ALUMINUM RULELEVEL (METRIC GRADUATIONS)

- Triangular-shaped aluminum frame with clear (silver) anodized finish
- Screen-printed ruled edge in mm
- · 360°-reading acrylic yellow barrel vials
- · Quik-Change® 1-piece replaceable, high-impact plastic covers*
- No lenses
- Frame dimensions: 1" x 2-13/16"

Model #	Length	Total Vial Count	Level Vial Count	Plumb Vial Count
2624	24"	3	1	2
2636	36"	3	1	2
2648	48"	3	1	2

*U.S. Patent No. 4.996,777; Canadian Patent No. 2.022,528





STANDARD SERIES

LIGHT DUTY

ALUMINUM LEVELS

- Inexpensive, lightweight extruded aluminum I-beam frame
- 360°-reading acrylic yellow barrel vials with Quik-Change® 1-piece replaceable, high-impact plastic covers*
- V-grooved edge accommodates round surfaces
- No lenses
- Frame dimensions: 7/8" x 2-1/8"

Model #	Length	Total Vial Count	Level Vial Count	Plumb Vial Count	45° Vial Count
122	12"	2	1	1	
182	18"	2	1	1	
183	18"	3	1	1	1
242	24"	2	1	1	-
243	24"	3	1	1	1
363	36"	3	1	1	1
483	48"	3	1	1	1

*U.S. Patent No. 4,996,777; Canadian Patent No. 2,022,528



7700 SERIES

LIGHT DUTY

STRUCTO-CAST. LEVELS WITH RULES

- One-piece, injection molded structuralfoam plastic frame
- Ruled edge in 1/8 ths, 1/16 ths and mm
- 360°-reading acrylic yellow barrel vials with Quik-Change® 1-piece replaceable, high-impact plastic covers*
- No lenses
- 14", 18" & 24" frame dimensions: 1" x 2-1/4"
- 36" & 48" frame dimensions: 1-1/4" x 2-1/4"

Model #	Length	Total Vial Count	Level Vial Count	Plumb Vial Count	45° Vial Count	Color
7714	14"	2	1	1	-	Gray
7714-L	14"	2	1	1	-	Glo-Lime
7714-0	14"	2	1	1		Glo-Orange
7714-Y	14"	2	1	1		Glo-Yellow
7718	18"	3	1	1	1	Gray
7718-L	18"	3	1	1	1	Glo-Lime
7718-0	18"	3	1	1	1	Glo-Orange
7718-Y	18"	3	1	1	1	Glo-Yellow
7724	24"	3	1	1	1	Gray
7724-L	24"	3	1	1	1	Glo-Lime
7724-0	24"	3	1	1	1	Glo-Orange
7724-Y	24"	3	1	1	1	Glo-Yellow
7736	36"	3	1	1	1	Gray
7736-L	36"	3	1	1	1	Glo-Lime
7736-0	36"	3	1	1	1	Glo-Orange
7748	48"	3	1	1	1	Gray
7748-L	48"	3	1	1	1	Glo-Lime
7748-0	48"	3	1	1	1	Glo-Orange
7748-Y	48"	3	1	1	1	Glo-Yellow

*U.S. Patent No. 4,996,777; Canadian Patent No. 2,022,528

HEAVY DUTY

Level-Guard. LEVEL CASE

 High-density polypropylene blow-molded in hi-visibility orange

Length	
48"	

*Patents Pending



- · Removable, snap-on cap
- Exclusive longitudinal rib design* protects by holding level around perimeter edges

ALL PURPOSE

SOFTSIDED LEVEL CASES

- Water-resistant nylon outer shell
- Extra reinforcement stitching in critical wear areas

Model #	Length
LCS24	24"
LCS48	48"
LCS72	72"

- Heavy-duty zipper
- Top loop fits over most hooks and pegs for convenient hanging storage option



Aluminum Box Beam Torpedo Level

· Extruded aluminum box beam profile with yellow powder coat finish

· Solid, block vials are LIV resistant and

Cona, bico	VIGIO GIO OVI	coloddi lo di la	
anti-static			
	Total	Level	
1	VE-L C	16-10	

Horizontal vial has fluorescent backing plate

Shock-protecting end caps

Plumb Model # Vial Count Length Vial Count Vial Count 9800 10"



HEAVY DUTY

HEAVY



STEALTH® TORPEDO LEVEL WITH RARE EARTH MAGNETS

Vial Count

1

· High-strength, glass-filled polymer frame in hi-visibility orange with rubberized comfort-grip finish

360°-reading level vial and PlumbScope®

Vial Count

3

top-reading plumb vial Total Level

•	Surr	oun	dView	/ [®] white	polymer	surrounds
	vials	for	easy	viewing		

 Level edge has V-grooved, rare earth magnets that are 5 times stronger than strip magnets

Plumb Vial Count

Vial Count

U.S. Patent No. D469,370

Length

10"

Model #

c 007




DUTY

Aluminum Torpedo Level

- · High-impact plastic covers
- Large, V-grooved edge accommodates pipe and conduit
- · Level vial is top-reading

Level Plumb 45 Vial Count Vial Count Vial Count



- · 360°-reading acrylic yellow barrel vials
- SurroundView® white polymer surrounds vials for easy viewing

Total Length Vial Count Model # 4500 3



DUTY

ALUMINUM TORPEDO LEVEL WITH RARE EARTH MAGNETS

- · One-piece, full-length cast aluminum frame with exclusive CNC (computerized, numerically controlled) machined edges
- Large, top V-groove accommodates pipe and conduit
- Level edge has three rare earth magnets -5 times stronger than strip magnets
- 360°-reading acrylic yellow barrel vials
- SurroundView® white polymer surrounds vials for easy viewing
- · High-impact plastic covers
- · Level vial is top-reading

Model #	Length	Total Vial Count	Level Vial Count	Plumb Vial Count	45° Vial Count
5500M	9"	3	1	1	1



HEAVY

DUTY

MAGNETIC ALUMINUM TORPEDO LEVEL

- One-piece, full-length cast aluminum frame with exclusive CNC (computerized, numerically controlled) machined edges
- Large, top V-groove accommodates pipe and conduit
- · Extra-strong, full-length magnetic edge
- · 360°-reading acrylic yellow barrel vials
- · SurroundView® white polymer surrounds vials for easy viewing
- · High-impact plastic covers
- · Level vial is top-reading

	Model #	Length	Total Vial Count	Level Vial Count	Plumb Vial Count	45' Vial Count
C	4500M	9"	3	1	1	1

CORPEDO



HEAVY DUTY



- One-piece, full-length cast aluminum frame with exclusive CNC (computerized, numerically controlled) machined edges
- · 360°-reading acrylic yellow barrel vials
- · High-impact plastic covers
- Level vial is top-reading

 Extra-strong, full-length magnetic edge with large V-groove accommodates pipe and conduit

GLOWS IN THE DARK

- Glow-in-the-dark material surrounds vials for easier viewing in dimly lit areas
- Glows by absorbing natural or artificial light

	Model #	Length	Total Vial Count	Level Vial Count	Plumb Vial Count	45° Vial Count	
	4500M-GL0	a"	3	1	1	1	
C	45UUIVI-ULU	9				-	



MEDIUM DUTY

MAGNETIC: ALUMINUM TORPEDO LEVEL

- Extruded aluminum frame with high-impact plastic covers
- · Full-length magnetic edge with V-groove
- 360°-reading acrylic yellow barrel vials
- · Level vial is top-reading

	Model #	Length	Total Vial Count	Level Vial Count	Plumb Vial Count	Vial Count
C	8500M	9"	3	1	1	1



LIGHT

STRUCTO-CAST. TORPEDO LEVELS

- Durable, high-impact plastic molded frame and covers
- 360°-reading acrylic yellow barrel vials
- · Level vial is top-reading
- · V-grooved leveling edge

Model #	Length	Total Vial Count	Level Vial Count	Plumb Vial Count	45' Vial Count	Color
7500	9"	3	1	1	1	Gray
7500B-GRAY	9"	3	1	1	1	Gray
7500B-LIME	9"	3	1	1	1	Glo-Lime
7500B-DRANGE		3	1	1	1	Glo-Orange

Note: "B" designates item is shipped in bulk - no retail packaging.



LIGHT DUTY

MAGNETIC: STRUCTO CAST. TORPEDO LEVELS

- Durable, high-impact plastic molded frame and covers
- 360°-reading acrylic yellow barrel vials
- · Level vial is top-reading
- Full-length magnetic edge with V-groove

	Model #	Length	Total Vial Count	Level Vial Count	Plumb Vial Count	45' Vial Count	Color
-	7500M	9"	3	1	1	1	Maroon
-	7500MB-RED	9"	3	1	1	1	Maroon
-	7500MB-LIME	9"	3	1	1	1	Glo-Lime
c	7500MB-ORANG		3	1	1	1	Glo-Orange

Note: "B" designates item is shipped in bulk - no retail packaging.

ALUMINUM LINE LEVEL

· Durable high-impact plastic reversed line hooks

HEAVY DUTY

Total Model # Length Vial Count 555 3"

· Acrylic yellow barrel vial

U.S. Patent No. 5,659,967; Canadian Patent No. 2,181,105



· Reversed line hooks

· Convenient pocket clip

LINE LEVELS

MEDIUM DUTY

- · Lightweight, durable high-impact plastic ends
- · 360°-reading acrylic yellow barrel vial

· Hexagonal extruded aluminum body

		Total		
Model #	Length	Vial Count	Color	Pack
575	3"	1	Black	1 per card
585	3"	1	Glo-Lime	2 per card



MARK-N-MOUNT® (FORMERLY THE MARK-IT®)

- · Two 24" anodized aluminum rails joined at ends with tough ABS plastic end caps
- Three ABS plastic sliding guides move to mark accurate mounting points

Model #	Length	Graduations	Total Vial Count
MRK24	24"	1/8", 1/16"	2

· High-impact, rigid red plastic body

U.S. Patent No. 6,029,362; European Patent No. 0812661

- · Shatterproof acrylic level and plumb vials
- at opposite ends in end caps



PURPOSE

CROSS CHECK LEVEL


· Two acrylic yellow barrel vials at right angles level both planes of surface

MEDIUM DUTY

· Mounting holes for surface mounting Total Model # Length Vial Count 125 2-1/4" 2



- · Acrylic plastic body with mounting holes
- · One acrylic clear circular vial







DUTY

100



MEDIUM DUTY

POCKET LEVEL WITH MAGNETIC > PICK-UP

 High-impact plastic body with V-grooved edge and a metal pocket clip

Acrylic	yellow barrel vial
Strong	magnetic pick-up

	Model #	Length	Total Vial Count
C	500	5"	1
	-		

U.S. Patent Nos. 6,026,581 & D385,807



HEAVY DUTY

MAGNETIC: ANGLE LOCATOR

- High-impact plastic body in hi-visibility orange
- Clear acrylic lens with easy-to-read increments in 0°-90° in four quadrants

	Model #	Diameter
C	700	5-7/8"
	U.S. Patent No.	D389,755

- V-grooved edge accommodates pipe and conduit
- Extra-strong, permanent ceramic magnet
- Convenient metric rule on one edge, and English rule on the other



HEAVY DUTY

PITCH & SLOPE LOCATOR

- · High-impact plastic body in black
- Clear acrylic lens with easy-to-read graduations
- Half of the scale is printed in 0°-90° in two quadrants

Model #	Diameter
750	5-3/8"

U.S. Patent Nos. 5,937,371 & D389,756





MEDIUM DUTY

WATER LEVEL

- Two clear plastic tubes with pop-up end caps
- Threaded 5/8" male and female coupler ends
 - Model # Length 2120 14"

 Other half is a patented, printed scale for reading pitch in inch rise per 12" run without conversion tables

- Handy shut-off-valve on female coupler end
- Use with any length standard garden hose

• Handy "mirror" design with 3/16" preset reveal

	CAUGE
TRIM GAUGE™	ALL PURPOSE
Features both level and plumb vials Handy "mirror" design with 3/16"	PURPUSE

Model #	Length	Total Vial Count	Level Vial Count	Plumb Vial Count
2300	4"	2	1	1

· Easy-adjust locking thumb screw

· Lightweight, durable high-impact plastic body with adjustable sliding imperial and

metric scales

U.S. Patent No. 5,737,844







HEAVY DUTY

HEAVY DUTY

POST LEVELS

- · Rubber strap attached to one side of level body eliminates loss and allows for hands-free use
- · Hooks quickly and easily to any post, pole or stringer

· Durable high-impact plastic body with 90° bend

· Acrylic yellow barrel vials with patented white reflective backer plates for easy vial reading

	Total		
Model #	Size	Vial Count	Color
175	5-1/2" x 3-1/2"	3	Gray
175B-GRAY	5-1/2" x 3-1/2"	3	Gray
175B-LIME	5-1/2" x 3-1/2"	3	Glo-Lime
175B-ORANGE	5-1/2" x 3-1/2"	3	Glo-Orange

Note: "B" designates item is shipped in bulk - no retail packaging.

U.S. Patent Nos. 5,207,004 & D332,058; Canadian Patent No. 2,083,067

MAGNETIC > Post Level

- · Durable high-impact plastic body with 90° bend and strong magnetic edge
- · Acrylic yellow barrel vials with patented white reflective backer plates for easy vial reading

175M 5-1/2" x 3-1/2" 3 Gray	Model #	Size	Total Vial Count	Color
		5-1/2" x 3-1/2"	3	Gray

U.S. Patent Nos. 5,207,004 & D332,058; Canadian Patent No. 2,083,067

- · Rubber strap attached to one side of level body eliminates loss and allows for hands-free use
- · Hooks quickly and easily to any post, pole or stringer

STUD FINDER PLUS

- · Strong, red indicator magnet
- · Acrylic yellow barrel vial



MEDIUM DUTY

· Durable high-impact plastic base with clear acrylic lens

	Total	
Length	Vial Count	

160 1-5/8" x 3-1/4" U.S. Patent Nos. 5,148,108 & D339,074; Australian Patent No. 649,820; Canadian Patent No. 2,106,085

Model #



STEEL RAFTER SQUARE

- Permanent 1/8" stamped graduations include rafter and Essex Board Measures
- · Protective anti-rust coating

Model #	Size	Material	Graduations
CS2	16" x 24"	Steel	1/8"



ALUMINUM RAFTER SQUARES

- Permanent 1/s" stamped graduations include rafter and Essex Board Measures
- · Clear (silver) anodized finish
- CS7 has a black anodized finish with yellow-filled graduations

Model #	Size	Material	Graduations
CS5	16" x 24"	Aluminum (silver)	1/8"
CS7	16" x 24"	Aluminum (black)	1/8"

MEDIUM DUTY

STEEL CARPENTER SQUARES

- Permanent 1/8" stamped graduations
- · Protective anti-rust coating
- CS3 version stamped with mm (metric) increments

Size	Material	Graduations
16" x 24"	Steel	1/8"
16" x 24"	Steel	mm
8" x 12"	Steel	1/8"
	16" x 24" 16" x 24"	16" x 24" Steel 16" x 24" Steel

MEDIUM DUTY

ALUMINUM CARPENTER SQUARE

- Permanent 1/8" stamped graduations
- Clear (silver) anodized finish

Model #	Size	Material	Graduations
CS4	16" x 24"	Aluminum (silver)	1/8"

BRASS STAIR/SQUARE GAUGES

· Machined solid brass with knurled screws.

Model #	Pack	
405	2 per card	






7" ALUMINUM RAFTER ANGLE SQUARE

- · Solid aluminum cast body with exclusive CNC (computerized, numerically controlled) machined edges
- · Permanent molded graduations


• [.ow-glare,	protective	powder	coat finis	h
-----	------------	------------	--------	------------	---

· Complete instruction manual included (except for bulk version)

HEAVY DUTY



Note: "B" designates item is shipped in bulk – no retail packaging. Note: Instruction manuals are available for \$2.00 each (includes shipping and handling). Send request to: Johnson Level & Tool, 6333 W. Donges Bay Road, Mequon, WI 53092, Attn: Customer Service



12" ALUMINUM RAFTER ANGLE SQUARE

- · Solid aluminum cast body with exclusive CNC (computerized, numerically controlled) machined edges
- · Permanent molded graduations
- Scribe notches starting at 1-3/4" transfer outside increments from pivot point
- · Low-glare, protective powder coat finish
- · Complete instruction manual included

Model #	Length
RAS-120	12"

Note: Instruction manuals are available for \$2.00 each (includes shipping and handling). Send request to: Johnson Level & Tool, 6333 W. Donges Bay Road, Mequon, WI 53092, Attn: Customer Service





7" STRUCTO-CAST. RAFTER ANGLE SQUARES

- · One-piece high-impact plastic
- · Permanent molded graduations
- · Complete instruction manual included (except for bulk versions)

Length	Color
7"	Gray
7"	Gray
7"	Glo-Lime
7"	Glo-Orange
	7" 7"

Note: "B" designates item is shipped in bulk – no retail packaging.

Note: Instruction manuals are available for \$2.00 each (includes shipping and handling). Send request to: Johnson Level & Tool, 6333 W. Donges Bay Road, Mequon, WI 53092, Attn: Customer Service



HEAVY DUTY







MEDIUM DUTY

12" STRUCTO-CAST. RAFTER ANGLE SQUARES

- · One-piece high-impact plastic
- · Permanent molded English graduations
- · Unique centering feature for circles
- · Beveled working edges
- · Built-in scribe notches

Model #	Length	Color
RAS-170B	12"	Gray
RAS-170B-ORA	12"	Glo-Orange

Note: "B" designates item is shipped in bulk – no retail packaging.

Note: Instruction manuals are available for \$2.00 each (includes shipping and handling)

Send request to: Johnson Level & Tool, 6333 W. Donges Bay Road, Mequon, WI 53092, Attn: Customer Service



HEAVY DUTY

METAL COMBINATION SQUARE

- · Cast zinc head with black e-coat finish
- Computer-machined gauging edges for greater accuracy
- Reversible lock bolt and brass thumb screw allow head to be reversed, and also ensures alignment of blade and head
- · Acrylic yellow barrel vial
- · Hardened, screw-in scriber
- Steel blade is permanently stamped in 1/8 ths, 1/16 ths, 1/32 nds and mm

Model # 406EM	Size	Material	Graduations
	6"	Zinc	1/8", 1/16", 1/32", mm





METAL COMBINATION SQUARES

- · Cast zinc head with black e-coat finish
- Computer-machined gauging edges for greater accuracy
- Reversible lock bolt and brass thumb screw allow head to be reversed, and also ensures alignment of blade and head
- · Acrylic yellow barrel vial
- · Hardened, screw-in scriber
- Steel blade with protective anti-rust coating has permanently stamped graduations
- Also available in metric versions

Model #	Size	Material	Graduations >
400	12"	Zinc	1/8", 1/16", 1/32"
400EM	12"	Zinc	1/8", 1/16", 1/32", mm
420EM	16"	Zinc	1/8", 1/16", mm



CAST IRON COMBINATION SQUARE

- · Acrylic yellow barrel vial
- · Hardened, screw-in scriber
- Steel blade with protective anti-rust coating is permanently etched in 1/8 ths, 1/16 ths, and 1/32 nds

HEAVY DUTY

Model #	Size	Material	Graduations
440	12"	Cast Iron	1/8", 1/16", 1/32"

· Cast iron head with black textured finish



STRUCTO-CAST. COMBINATION SQUARES

- · High-impact plastic head
- Stamped steel blade with protective anti-rust coating in 1/8 ths, 1/16 ths and 1/32 nds
- · Acrylic yellow barrel vial
- Metric version stamped in 1/8 ths, 1/16 ths, 1/32 nds and mm

MEDIUM DUTY

Model #	Size	Material	Graduations
415	12"	Plastic	1/8", 1/16", 1/32"
415EM	12"	Plastic	1/8", 1/16", 1/32", mm

· No. 1 select hardwood handle with brass

gauging edges and routed hand grip



HARDWOOD TRY SQUARE

· Stainless steel blade with easy-to-read etched increments in 1/8 ths and 1/16 ths HEAVY DUTY

Size Graduations Model # 480 1/8", 1/16"



STRUCTO CAST. TRY & MITER SQUARES

- · High-impact plastic handle with hand grip and insert-molded blade

1/8", mm

- Graduations Size 8" 1/8"
- · Stainless steel blade with permanent, stamped graduations in 1/8 ths
- Metric version with 1/8 ths and mms





Model #

450

451

HEAVY DUTY

HARDWOOD SLIDING T-BEVEL

- . No. 1 select hardwood handle with routed hand grip and brass edging
 - Model # Length B85

· Stainless steel blade with wing-nut fastener

MEDIUM DUTY

STRUCTO-CAST. SLIDING T-BEVEL

· Durable, high-impact plastic handle with hand grip

> Model # Length B75 8"

· Stainless steel blade with wing-nut fastener



HEAVY DUTY

"@?!@!N!^!" Aluminum Adjust-A-Square®

- · Heavy-duty extruded aluminum blade and head with clear (silver) anodized finish
- · Screened, thermal-bonded graduations in black (48" in 1/8ths and 1/16ths; 54" in 1/8ths)
- · Head adjusts to any angle · Folds flat for easy transport

Precision-machined head and blade lock together for a perfect 90° angle

• 1/4" blade thickness

Model # Size Graduations ADS48 48" 1/8", 1/16" ADS54 54" 1/8"

U.S. Patent No. 4,525,933

ALUMINUM DRYWALL T-SQUARES

- · Extruded aluminum blade and head with clear (silver) anodized finish
- Screened, thermal-bonded 1/8" graduations in black
- 1/8" blade thickness
- Exclusive design, solid four-rivet construction permanently "bonds" head to blade

Model #	Size	Graduations	Pack Quantity
JTS48	48"	1/8"	2
JTS481	48"	1/8"	1

METRIC ALUMINUM DRYWALL T-SQUARE

- · Extruded aluminum blade and head with clear (silver) anodized finish
- Screened, thermal-bonded mm graduations in black
- 1/8" blade thickness
- Exclusive design, solid four-rivet construction permanently "bonds" head to blade

Model #	Size	Graduations
JTS1200	1200 mm	mm

HEAVY DUTY ALUMINUM DRYWALL T-SQUARES

- Heavy-duty extruded aluminum blade and head with clear (silver) anodized finish
- Screened, thermal-bonded 1/8" graduations in black
- 3/16" blade thickness
- Exclusive design, solid four-rivet construction permanently "bonds" head to blade
- Also available in a 54" length

Size	Graduations	Pack Quantity
48"	1/8"	2
48"	1/8"	1
54"	1/8"	2
	48" 48"	48" 1/8" 48" 1/8"

HEAVY DUTY

HEAVY DUTY

HEAVY DUTY



光光。 Drywall Scoring Squares

- Foam-molded, high-impact plastic head
- Screened, thermal-bonded 1/16" or mm graduations in black

Model #	Size	Graduations
RTS24	24"	1/16"
RTS24M	24"	mm

U.S. Patent No. 6,070,331

 Insert-molded, aluminum blade has perforations to accept utility knife blade point for scoring drywall



51101000

HEAVY DUTY

* *C CC 2C +C OC

HEAVY

DUTY

POCKET CLIP RULES

- · Conversion tables are etched on back
- Stainless steel with etched increments in 1/32 nds and 1/64 ths
- Metric version available with increments in 1/64 ths and mm

Model #	Length	Width	Thickness	Graduations
7202	6"	1/2"	.020"	1/32", 1/64"
7203	6"	1/2"	.020"	1/64", mm

ALUMINUM RULES

- Extruded aluminum with clear (silver) anodized finish
- Screened, thermal-bonded black graduations in 1/8 ths and 1/16 ths

Model #	Length	Width	Thickness	Graduations
J112	12"	1-1/8"	.075"	1/8", 1/16"
J118	18"	1-1/8"	.075"	1/8", 1/16"
J124	24"	1-1/8"	.075"	1/8", 1/16"

ALUMINUM YARDSTICK

- Extruded aluminum with clear (silver) anodized finish
- Screened, thermal-bonded black graduations in 1/8 ths and 1/16 ths

Model #	Length	Width	Thickness	Graduations
J236	36"	1-1/8"	.075"	1/8", 1/16"

ALUMINUM METERSTICK

- · Extruded aluminum with clear (silver) anodized finish
- · Screened, thermal-bonded black graduations in 1/8 ths and mm

Model #	Length	Width	Thickness	Graduations
M391	1 Meter	1-1/8"	.075"	1/8", mm

METRIC ALUMINUM METERSTICK

- · Extruded aluminum with clear (silver) anodized finish
- · Screened, thermal-bonded black graduations in mm

Model #	Length	Width	Thickness	Graduations
3900	1 Meter	1-1/8"	.075"	mm



ALUMINUM STRAIGHT EDGES

- · Extruded aluminum with clear (silver) anodized finish
- · Also available in a metric version with 1/8 ths, 1/16 ths and 2mm
- · Screened, thermal-bonded black graduations in 1/8 ths and 1/16 ths

Model #	Length	Width	Thickness	Graduations
J18	18"	2"	.110"	1/8", 1/16"
J24	24"	2"	.110"	1/8", 1/16"
J24EM	24"	2"	.110"	1/8", 1/16", 2mm
J36	36"	2"	.110"	1/8", 1/16"
J36EM	36"	2"	.110"	1/8", 1/16", 2mm
J48	48"	2"	.110"	1/8", 1/16"
J48EM	48"	2"	.110"	1/8", 1/16", 2mm
J60	60"	2"	.125"	1/8", 1/16"
J60EM	60"	2"	.125"	1/8", 1/16", 2mm
J72	72"	2"	.125"	1/8", 1/16"
J72EM	72"	2"	.125"	1/8", 1/16", 2mm
J96	96"	2"	.125"	1/8", 1/16"



TRU-LINE ALUMINUM CUTTING GUIDE

- Two 49" extruded aluminum rails with patented quick-to-assemble connector
- · Two "c" clamps included

Model #	Length
J4900	98"
IIC Detect	N= E 100 750

Canadian Patent No. 2,074,160







End hook with flip-out hook and multi-attach design.

HEAVY DUTY

CLOSED REEL FIBERGLASS LONG TAPES

- Lightweight, highly-flexible, durable PVC-coated fiberglass tape is rust-free, rot-free and electrically non-conductive when dry
- · Corrosion-resistant end hook with multi-attach design
- · Patented, recessed, comfort-grip * on tough plastic case keeps fingers clear of winding handle
- · Closed case design prevents wound tape from collecting excess dirt
- · Integral belt-clip is molded into case

Model #	Length	Tape Width	Tape Material	Tape Color
JL1050	50'	1/2"	PVC-Coated Fiberglass	Yellow
JL1100	100'	1/2"	PVC-Coated Fiberglass	Yellow

^{*}European Patent No. EP0724133





HEAVY DUTY



CLOSED REEL STEEL LONG TAPES

- · Durable polyester-coated yellow steel tape resistant to common chemicals/solvents
- Transparent polyester topcoat protects tape blade markings
- Corrosion-resistant end hook with multi-attach design



End hook with flip-out hook on bottom and multi-attach design.

- · Comfort-grip, impact-resistant plastic case
- · Closed case design prevents wound tape from collecting excess dirt
- · Integral belt-clip is molded into case

Model #	Length	Blade Width	Tape Material	Tape Color
JL3050	50'	3/8"	Poly-Coated Steel	Yellow
JL3100	100'	3/8"	Poly-Coated Steel	Yellow

Patents Pending



End hook with flip-out hook and multi-attach design.





HEAVY DUTY

OPEN REEL FIBERGLASS LONG TAPES

- Lightweight, highly-flexible, durable PVC-coated fiberglass tape is rust-free, rot-free and electrically non-conductive when dry
- Corrosion-resistant end hook with multi-attach design
- · Secure-grip, impact-resistant plastic frame
- · Open frame design makes clean-up easier
- Tough, low-friction bearing ensures smooth rewinding
- Long winding lever with easy to grip knob quickly rewinds tape.

Model #	Length	Tape Width	Tape Material	Tape Color
JL2100	100'	1/2"	PVC-Coated Fiberglass	Yellow
JL2200	200'	1/2"	PVC-Coated Fiberglass	Yellow
JL2300	300'	1/2"	PVC-Coated Fiberglass	Yellow

Patents Pending



End hook with flip-out hook and multi-attach design.





HEAVY DUTY

OPEN REEL NYLON-COATED STEEL LONG TAPES

- Virtually-indestructible polyester-coated yellow steel tape with nylon topcoat withstands bending, breaking, kinking and crushing; also resists common chemicals and solvents
- Extra-thick nylon topcoat fully encases the steel tape and is added protection for tape blade markings
- Corrosion-resistant end hook with multi-attach design
- · Secure-grip, impact-resistant plastic frame
- · Open frame design makes clean-up easier
- Tough, low-friction bearing ensures smooth rewinding
- Long winding lever with easy to grip knob quickly rewinds tape

Model #	Length	Blade Width	Tape Material	Tape Color
JL4100	100'	1/2"	Nylon-Coated Steel	Yellow
JL4200	200'	1/2"	Nylon-Coated Steel	Yellow

Patents Pending

JOHNSON



BIG JOHNSON® POWER TAPES

- Heavy-duty, high-impact plastic "comfort grip" case is virtually unbreakable
- Easy-to-read blade with clear view, movable end hook takes accurate inside and outside measurements—even on the first 1-1/2" of the blade (usually hidden by rivets attaching end hook to blade)
- · Spring action lock and load
- Dual cursors align with blade increments to help "pin-point" exact measurement
- · Quick-draw holder with belt clip included

Model #	Length	Blade Width	Tape Material	Tape Color
916	16'	3/4"	Poly-Coated Steel	Yellow
925	25'	1"	Poly-Coated Steel	Yellow
930	30'	1"	Poly-Coated Steel	Yellow


Patents Pending



QUICK COUNT™ MEASURING WHEELS

- Sturdy, extruded aluminum handle "telescopes" for compact storage
- Easy-to-read counting unit
- · Durable molded plastic wheel
- 12" wheel has lift stand to keep unit upright

Model #	Wheel Diameter	Counter	Extended Height	Collapsed Height
JL0100	4"	4-digit	36-1/2"	17-1/4"
JL0200	12"	5-digit	40-1/2"	21"



LINE REELS WITH STRING

- Twisted string in vibrant "glo" orange
- Braided string in vibrant "glo" pink
- Durable plastic winding reel holds rolls of twisted or braided string
- · Replacement string available

Model #	String Type	String Length	String Color
8000-0	Twisted	135'	Glo-Orange
8010-0	Twisted	270'	Glo-Orange
8020-0	Twisted	540'	Glo-Orange
8100-P	Braided	250'	Glo-Pink
8150-P	Braided	500'	Glo-Pink

U.S. Patent Nos. 5,664,739 and 5,927,635



REPLACEMENT STRING FOR LINE REELS

- Twisted string in vibrant "glo" orange
- Braided string in vibrant "glo" pink

Model #	String Type	String Length	String Color
8001-0	Twisted	135'	Glo-Orange
8011-0	Twisted	270'	Glo-Orange
8021-0	Twisted	540'	Glo-Orange
8101-P	Braided	250'	Glo-Pink
8151-P	Braided	500'	Glo-Pink



GLO FLAGGING TAPE

- · Durable plastic
- · Available in vibrant "glo" colors

Model #	Length	Width	Color
3301-R	200'	1"	Glo-Red
3301-0	200'	1"	Glo-Orange
3301-P	200'	1"	Glo-Pink
3301-L	200'	1"	Glo-Lime



FLAGGING TAPE

- Durable plastic
- Available in red or yellow

Model #	Length	Width	Color
3311-R	300'	1-3/16"	Red
3311-Y	300'	1-3/16"	Yellow







BARRICADE TAPE

- Durable plastic with heavilypigmented black ink
- Available in yellow or red

Model #	Length	Width	Color / Message
3321	300'	3"	Yellow "CAUTION"
3322	300'	3"	Red "DANGER DO NOT ENTER"
3323	300'	3"	Yellow "WET PAINT"
3324	1,000'	3"	Yellow "CAUTION"




BARRICADE/FLAGGING TAPE DISPENSERS

- Durable yellow plastic
- Notch on side secures tape loose end
- 3319 has serrated edge that cuts tape quickly and safely

Model #	Holds Tape Length	Holds Tape Width
3319	1000'	3"
3320	300'	3"

U.S. Patent No. 6,659,390 and other Patents Pending



STAKE FLAGS

- 2-1/2" x 3-1/2" poly flags are mounted on 21" wire staffs (0.62" diameter wire)

Model #	Pack	Color
3350-L	100 per bundle	Glo-Lime
3350-0	100 per bundle	Glo-Orange
3350-R	100 per bundle	Glo-Red

· Available in three colors









ALL PURPOSE



TRU-LINE CARDED LUMBER CRAYONS

- · Lead-free, non-toxic, weather and fade resistant
- · Fit Peterson holder

Model #	Color	
3502-Y	Yellow	
3502-R	Red	
3502-K	Black	
3502-B	Blue	

- · Available in four colors
- · Two per card











TRU-LINE BOXED LUMBER CRAYONS

- · Lead-free, non-toxic, weather and fade resistant
- Fit Peterson holder

Model #	Color
3512-Y	Yellow
3512-R	Red
3512-K	Black
3512-B	Blue

- · Available in four colors
- Twelve per box

ALL PURPOSE







IRU-LINE CARPENTER PENCILS

- · U.S. wood-sustainable forest "incense cedar" basswood with medium graphite lead
- · Flat design will not roll
- · Two per card or available in boxes of twelve or seventy-two

Model #	Length	Width	Color	Pack
CP	7"	1/2"	Red	2 per card
CPB-12	7"	1/2"	Red	12 per box
CPB-72	7"	1/2"	Red	72 per box







INSTA-MARK. MECHANICAL CARPENTER PENCIL

- · High-impact plastic body with metal pocket clip
- · Convenient storage chamber holds three spare leads (furnished)

Model #	ltem
3400	Insta-Mark® Pencil

U.S. Patent No. 5,044,805; Canadian Patent No. 2,016,909

- · Lead advances and retracts with the flick of a thumb-no need to sharpen!
- · Additional replacement lead is available in a separate 10-pack container



ALL PURPOSE



CARPENTER PENCIL REPLACEMENT LEAD

• Replacement lead for 3400 Insta-Mark® Mechanical Carpenter Pencil

Model #	Item	
3410	10-pack Replacement Leads	

U.S. Patent No. 5,044,805; Canadian Patent No. 2,016,909

BUTT MARKERS

 Hardened, stamped steel with ground, chisel-like edges

· Stamped steel body with ruled edge

Model # Size 2035 3-1/2" 2040 4" · Built-in depth scriber



CONTOUR GAUGE

 Stainless steel contour wires form around any shape MEDIUM DUTY





MEDIUM DUTY

DECK-MATE® BOARD SPACING TOOL

- · Durable, high-impact plastic body
- 1/8" or 3/16" spacer edges

• Nail/screw layout guide for 2"x6" or 2"x4" decking

Model # Size 60-275 5-1/2" x 3-1/2"

U.S. Patent No. 4,955,142



MEDIUM DUTY

BRASS PLUMB BOBS

- · Machined brass with lacquer finish
- · Replaceable, hardened steel tip

Model #	Weight	Length
108	8 oz.	4-7/8"
112	12 oz.	5-1/2"
116	16 oz.	6"
124	24 oz.	7"
132	32 oz.	7-1/4"

 Removable cap for easy, centered string installation

STEEL PLUMB BOBS

 Hexagonal machined steel with bright plated finish

Model #	Weight	Length	
05	5 oz.	3-1/2"	
08	8 oz.	4"	
012	12 oz.	4-1/2"	

 Removable top for easy, centered string installation



WALL BOARD SAW

· Hardwood handle with lacquer finish

Model #	Overall Length			
68	11-1/4"			

 Steel blade with sharp teeth and protective anti-rust finish



MINI HACKSAW

• High-impact plastic molded handle

Model #	Length without Blade			
60	9"			

U.S. Patent No. D291,96

 Accepts any hacksaw blade —including broken ones

INDEX

Model #	Page	Model #	Page	Model #	Page	Model #	Page
007	7	3512-B	25	750	10	CPB-72	26
012	28	3512-K	25	7500	8	CS1	12
05	28	3512-R	25	7500B-GRAY	8	CS2	12
08	28	3512-Y	25	7500B-LIME	8	CS3	12
100	9	3624	4	7500B-ORANGE	8	CS4	12
108	28	363	6	7500M	8	CS5	12
112	28	3648	4	7500MB-LIME	8	CS7	12
116	28	3718	4	7500MB-ORANG		IB24	2
1218	5	3724	4	7500MB-RED	8	IB48	2
122	6	3736	4	7714	6	IB72	2
1224	5	3748	4	7714-L	6	J112	18
124	28	3772	4	7714-0	6	J118	18
125	9	3778	4	7714-Y	6	J124	18
1318	5	3796	4	7718	6	J18	19
132	28	3818	4	7718-L	6	J236	18
1324	5	3824	4	7718-O	6	J24	19
1336	5	3836	4	7718-Y	6	J24EM	19
1348	5	3848	4	7724	6	J36	19
1472	5	3872	4	7724-L	6	J36EM	19
160	11	3878	4	7724-0	6	J48	19
1724	5	3896	4	7724-Y	6	J48EM	19
1748	5	3900	19	7736	6	J4900	19
175	11	3924	4	7736-L	6	J60	
175B-GRAY	11	3948	4	7736-O	6	Part Colombia	19
175B-LIME	11	400	14	7748		J60EM	19
175B-ORANGE		400EM	14	7748-L	6	J72	19
175M	11	400EW 405	13	7550 1300000	6	J72EM	19
1772	5	405 406EM	14	7748-O 7748-Y	6	J96	19
182	6	415	15		6	JL0100	22
183	6	415EM		8000-O	23	JL0200	22
2035	27	A CONTRACTOR	15	8001-0	23	JL1050	20
2040	27	420EM	14	8010-0	23	JL1100	20
2120		430	12	8011-O	23	JL2100	21
2206	10 27	440	15	8020-O	23	JL2200	21
2300		450	15	8021-0	23	JL2300	21 •
	11 ♦	4500	7	8100-P	23	JL3050	20
242	6	4500M	7	8101-P	23	JL3100	20
243	6	4500M-GLO	8	8150-P	23	JL4100	21
2524	5	451	15	8151-P	23	JL4200	21
2536	5	4624	3	8500M	8	JTS1200	17
2548	5	4648	3	8624	3 ♦	JTS48	17
2624	5	4672	3	8632	3 ♦	JTS481	17
2636	5	4696	3	8648	3 •	JTS481HD	17
2648	5	480	15	8672	3 ♦	JTS48HD	17
3301-L	24	483	6	916	22	JTS54HD	17
3301-O	24	500	10	925	22	LC48	6
3301-P	24	524	2	930	22	LCS24	6 ♦
3301-R	24	536	2	9524	3	LCS48	6 ♦
3311-R	24	548	2	9548-HH	3	LCS72	6 ♦
3311-Y	24	5500M	7	9572-HH	3	M391	19
3319	24	555	9	9578-HH	3	MRK24	9
3320	24	575	9	9800	7 •	RAS-1	13
3321	24	585	9	9824-HH	3	RAS-120	13
3322	24	60	28	9832-HH	3 ♦	RAS-1B	13
3323	24	60-275	27	9836-HH	3	RAS-170B	14
3324	24	624	2	9848-HH	3	RAS-170B-ORA	14
3350-L	25	636	2	9872-HH	3	RAS-70	13
3350-O	25	642	2	9878-HH	3 ♦	RAS-70B-GRAY	13
3350-R	25	648	2	9896-HH	3 ♦	RAS-70B-LIME	13
3400	26	68	28	ADS48	16	RAS-70B-ORAN	13
3410	26	700	10	ADS54	16	RTS24	18
3502-B	25	7202	18	B75	16	RTS24M	18
3502-K	25	7203	18	B85	16		
3502-R	25	724	2	CP	26		
3502-Y	25	748	2	CPB-12	26		
						ī.	



III JOHNSON & LEVEL & TOOL

6333 West Donges Bay Road Mequon, WI 53092-4456 USA Phone 262/242-1161 Fax 262/242-0189 www.johnsonlevel.com

FLC-0104 082504 Printed in USA © 2004 Johnson Level & Tool